

Beat the Heat: Cool Strategies

DOVER – Delaware is in the midst of a classic summer heat wave with soaring temperatures and long, humid days. Very hot weather can cause heat exhaustion, heat stroke, and severe respiratory conditions, which can be fatal. Extreme heat especially endangers seniors, young children, people with disabilities, and individuals with breathing conditions and other chronic medical conditions, such as asthma, chronic obstructive pulmonary disease, and other respiratory and cardiovascular problems.

The Division of Public Health recommends that every household be prepared for soaring summer temperatures. Keep air conditioners on and use electric fans. Drink lots of water and carry bottled water when running errands or spending time outside. Check in regularly with vulnerable family members and neighbors. In the event of power outages, listen to news reports of the location of community “cooling centers” (often public libraries or churches) which may be opened to help beat the heat when the power goes down.

Delaware 2-1-1 connects Delawareans with critical services and supports. By dialing 2-1-1, eligible callers can receive referrals to summer cooling and crisis assistance and the City of Wilmington’s Free Electric Fan Program for seniors.

Tips to prevent heat illness:

- Do not leave a child or pets alone in a parked car, even for a minute. Call 911 if you see a child left unattended in a vehicle. Carry water with you and drink continuously even if you do not feel thirsty. Avoid drinks containing sugar, alcohol and caffeine, which dehydrate the body. (Check with a doctor before

increasing fluid intake if you have epilepsy, heart, kidney or liver disease, or if you are on a fluid-restrictive diet. Avoid using salt tablets unless directed to do so by a physician.) Visit [cdc.gov/nutrition/everyone/basics/water.html](https://www.cdc.gov/nutrition/everyone/basics/water.html) for more information.

- Stay indoors on the lowest floor possible. Wear lightweight, light-colored clothing. Wear a hat or use an umbrella. Use sunscreen. Sunburn slows the skin's ability to cool itself, and has been linked to skin cancer. Avoid extreme temperature changes. Be careful trying to cool down too quickly; a cold shower immediately after coming in from hot temperatures can lead to hypothermia, particularly for the elderly and children. In these cases, cool water is better than ice cold water.
- If you have no air conditioning, visit public places with air conditioning such as shopping malls and libraries.
- Limit outdoor activity, especially mid-day when the sun is hottest. Work out or hold team practices early in the morning or early evening. A CDC online course for coaches, athletic trainers, students, school nurses, parents, and teachers is at [cdc.gov/nceh/hsb/extreme/Heat_Illness/index.html](https://www.cdc.gov/nceh/hsb/extreme/Heat_Illness/index.html)

Heed the following heat danger warning signs and take suggested actions:

- Heat cramps occur in the muscles of the limbs or abdomen during or after physical activity in high heat. Sweating results in loss of fluids and salts, which causes muscle cramps. Address heat cramps by resting in a cool place and drinking plenty of water.
- Heat exhaustion is more severe, occurring when a person is overheated along with reduced or unbalanced intake of fluids. Symptoms include dehydration, fatigue, weakness,

clammy skin, headache, nausea and/or vomiting, rapid breathing, irritability, and fainting. Take these simple steps to reduce heat exhaustion: Move the person indoors or into shade. Loosen or remove the person's clothing. Encourage the person with heat exhaustion to eat and drink. Get the person to a cool shower or bath. Call your doctor for further advice.

- Heat stroke occurs when the body can no longer cool itself, and can be a life-threatening event. Prompt medical treatment is required. Symptoms include: flushed, hot and dry skin with no sweating; high body temperature (above 103 F, taken orally); severe, throbbing headache; weakness, dizziness, or confusion; sluggishness or fatigue; decreased responsiveness; and loss of consciousness. If heat stroke occurs, take these steps: Call 9-1-1 immediately. This is a medical emergency. Get the heat stroke victim indoors or into shade. Get the person into a cool shower or bath, or wipe them down with continuously soaked cool washcloths while awaiting emergency responders.

For more information, visit the CDC at [cdc.gov/extremeheat/warning.html](https://www.cdc.gov/extremeheat/warning.html).

A person who is deaf, hard-of-hearing, deaf-blind, or speech-disabled can call the DPH phone number above by using TTY services. Dial 7-1-1 or 800-232-5460 to type your conversation to a relay operator, who reads your conversation to a hearing person at DPH. The relay operator types the hearing person's spoken words back to the TTY user. To learn more about TTY availability in Delaware, visit delawarerelay.com.

Delaware Health and Social Services is committed to improving the quality of the lives of Delaware's citizens by promoting health and well-being, fostering self-sufficiency, and protecting vulnerable populations. DPH, a division of DHSS, urges Delawareans to make healthier choices with the 5-2-1 Almost None campaign: eat 5 or more fruits and vegetables each

day, have no more than 2 hours of recreational screen time each day (includes TV, computer, gaming), get 1 or more hours of physical activity each day, drink almost no sugary beverages.

###

Rita Landgraf, Secretary
Emily Knearl, DPH Director of Communications
302-255-9047, Cell 302-354-2852
Email: emily.knearl@delaware.gov

[Delaware Health and Social Services](#) – [Division of Public Health](#)